

CERTIFICATE

QA-AC-4435/20

QA TECHNIC – ATTESTATION OF CONFORMITY

2006/42/EC MACHINERY DIRECTIVE
2014/35/EU LOW VOLTAGE DIRECTIVE

Anhui Wannan Electric Machine Co.,Ltd

NO.86, Nanhua Road, Jingchuan Town, Jingxian County, Xuancheng City, Anhui Province

Product (s)	: High efficiency frequency variable speed regulation three phase induction motor
Product Type(s) / Model (s)	: YXVF series (See Annex for details)
Applicable EC Directive (s)	: 2006/42/EC, 2014/35/EU
Applicable Harmonized Standard(s)	: EN ISO 12100:2010; EN 60034-1:2010/AC:2010
Test Report(s) and Date(s)	: Anhui Wannan Electric Machine Co.,Ltd TCF- TMLMJ20011535002; 15.01.2020

The Present certificate is valid just for the analysed product design. The certificate shall lose its validity in case of any changes in the product.

The CE mark as shown below can be used, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.



Begüm ADAKAN
Overseas Operation Manager

Certificate Issue Date: 20.01.2020
Certificate Expiry Date: 20.01.2025

ALBERK QA ULUSLARARASI TEKNİK
KONTROL VE BELGELENDİRME A.Ş.
BARBAROS MAH. AK ZAMBAK SOK.
A BLOK KAT.19 No:2 ATAŞEHİR
İSTANBUL / TÜRKİYE
Tel : 0216 572 49 10-11-12
Fax : 0216 572 49 14
www.qatechnic.com



for business improvement®

www.gatechnic.com

info@gatechnic.com

QA-AC-4435/20

Model List

NO.	Type	Voltage rang (V)	Rate frequency (Hz)	Rate out power (kW)	Pole	Duty	insulation
1	YXVF80M1-2	110~1140	50	5-50	50-100	0.75	2P
2	YXVF80M2-2	110~1140	50	5-50	50-100	1.1	2P
3	YXVF80M1-4	110~1140	50	5-50	50-100	0.55	4P
4	YXVF80M2-4	110~1140	50	5-50	50-100	0.75	4P
5	YXVF80M1-6	110~1140	50	5-50	50-100	0.37	6P
6	YXVF80M2-6	110~1140	50	5-50	50-100	0.55	6P
7	YXVF80M1-8	110~1140	50	5-50	50-100	0.18	8P
8	YXVF80M2-8	110~1140	50	5-50	50-100	0.25	8P
9	YXVF90S-2	110~1140	50	5-50	50-100	1.5	2P
10	YXVF90L-2	110~1140	50	5-50	50-100	2.2	2P
11	YXVF90S-4	110~1140	50	5-50	50-100	1.1	4P
12	YXVF90L-4	110~1140	50	5-50	50-100	1.5	4P
13	YXVF90S-6	110~1140	50	5-50	50-100	0.75	6P
14	YXVF90L-6	110~1140	50	5-50	50-100	1.1	6P
15	YXVF90S-8	110~1140	50	5-50	50-100	0.37	8P
16	YXVF90L-8	110~1140	50	5-50	50-100	0.55	8P
17	YXVF100L-2	110~1140	50	5-50	50-100	3	2P
18	YXVF100L1-4	110~1140	50	5-50	50-100	2.2	4P
19	YXVF100L2-4	110~1140	50	5-50	50-100	3	4P
20	YXVF100L-6	110~1140	50	5-50	50-100	1.5	6P
21	YXVF100L1-8	110~1140	50	5-50	50-100	0.75	8P
22	YXVF100L2-8	110~1140	50	5-50	50-100	1.1	8P
23	YXVF112M-2	110~1140	50	5-50	50-100	4	2P
24	YXVF112M-4	110~1140	50	5-50	50-100	4	4P
25	YXVF112M-6	110~1140	50	5-50	50-100	2.2	6P

ALBERK QA ULUSLARARASI TEKNİK
KONTROL VE BELGELENDİRME A.Ş.
BARBAROS MAH. AK ZAMBAK SOK.
A BLOK KAT.19 No:2 ATAŞEHİR
İSTANBUL / TÜRKİYE
Tel : 0216 572 49 10-11-12
Fax : 0216 572 49 14
www.gatechnic.com

Begüm ADAKAN
Overseas Operation Manager

B. Adakan

QA TECHNIC

ALBERK QA INTERNATIONAL TECHNICAL CONTROL AND CERTIFICATION CORP.

Varyap Meridian Grand Towers
Barbaros d.c. Ak Zambak Str.
No:2 A Block Floor:19 Ataşehir - İSTANBUL / TURKEY

TEL.: +90 216 572 49 10 - 11 - 12 (pbx)
FAKS: +90 216 572 49 14



Model List

NO.	Type	Voltage rang (V)	Rate frequency (Hz)	Rate out power (kW)	Pole	Duty	insulation
26	YXVF112M-8	110~1140	50	5-50	50-100	1.5	8P
27	YXVF132S1-2	110~1140	50	5-50	50-100	5.5	2P
28	YXVF132S2-2	110~1140	50	5-50	50-100	7.5	2P
29	YXVF132S-4	110~1140	50	5-50	50-100	5.5	4P
30	YXVF132M-4	110~1140	50	5-50	50-100	7.5	4P
31	YXVF132S-6	110~1140	50	5-50	50-100	3	6P
32	YXVF132M1-6	110~1140	50	5-50	50-100	4	6P
33	YXVF132M2-6	110~1140	50	5-50	50-100	5.5	6P
34	YXVF132S-8	110~1140	50	5-50	50-100	2.2	8P
35	YXVF132M-8	110~1140	50	5-50	50-100	3	8P
36	YXVF160M1-2	110~1140	50	5-50	50-100	11	2P
37	YXVF160M2-2	110~1140	50	5-50	50-100	15	2P
38	YXVF160L-2	110~1140	50	5-50	50-100	18.5	2P
39	YXVF160M-4	110~1140	50	5-50	50-100	11	4P
40	YXVF160L-4	110~1140	50	5-50	50-100	15	4P
41	YXVF160M-6	110~1140	50	5-50	50-100	7.5	6P
42	YXVF160L-6	110~1140	50	5-50	50-100	11	6P
43	YXVF160M1-8	110~1140	50	5-50	50-100	4	8P
44	YXVF160M2-8	110~1140	50	5-50	50-100	5.5	8P
45	YXVF160L-8	110~1140	50	5-50	50-100	7.5	8P
46	YXVF180M-2	110~1140	50	5-50	50-100	22	2P
47	YXVF180M-4	110~1140	50	5-50	50-100	18.5	4P
48	YXVF180L-4	110~1140	50	5-50	50-100	22	4P
49	YXVF180L-6	110~1140	50	5-50	50-100	15	6P

Begüm ADAKAN
Overseas Operation Manager

ALBERK QA ULUSLARARASI TEKNİK
KONTROL VE BELGELENDİRME A.Ş.
BARBAROS MAH. AK ZAMBAK SOK.
A BLOK KAT.19 No:2 ATAŞEHİR
İSTANBUL / TÜRKİYE
Tel : 0216 572 49 10-11-12
Fax : 0216 572 49 14
www.gatechnic.com

QA TECHNIC

ALBERK QA INTERNATIONAL TECHNICAL CONTROL AND CERTIFICATION CORP.

Varyap Meridian Grand Towers
Barbaros d.c. Ak Zambak Str.
No:2 A Block Floor:19 Ataşehir - İSTANBUL / TURKEY

TEL.: +90 216 572 49 10 - 11 - 12 (pbx)
FAKS: +90 216 572 49 14



Model List

NO.	Type	Voltage rang (V)	Rate frequency (Hz)	Rate out power (kW)	Pole	Duty	insulation
50	YXVF180L-8	110~1140	50	5-50	50-100	11	8P
51	YXVF200L1-2	110~1140	50	5-50	50-100	30	2P
52	YXVF200L2-2	110~1140	50	5-50	50-100	37	2P
53	YXVF200L-4	110~1140	50	5-50	50-100	30	4P
54	YXVF200L1-6	110~1140	50	5-50	50-100	18.5	6P
55	YXVF200L2-6	110~1140	50	5-50	50-100	22	6P
56	YXVF200L-8	110~1140	50	5-50	50-100	15	8P
57	YXVF225M-2	110~1140	50	5-50	50-100	45	2P
58	YXVF225S-4	110~1140	50	5-50	50-100	37	4P
59	YXVF225M-4	110~1140	50	5-50	50-100	45	4P
60	YXVF225M-6	110~1140	50	5-50	50-100	30	6P
61	YXVF225S-8	110~1140	50	5-50	50-100	18.5	8P
62	YXVF225M-8	110~1140	50	5-50	50-100	22	8P
63	YXVF250M-2	110~1140	50	5-50	50-100	55	2P
64	YXVF250M-4	110~1140	50	5-50	50-100	55	4P
65	YXVF250M-6	110~1140	50	5-50	50-100	37	6P
66	YXVF250M-8	110~1140	50	5-50	50-100	30	8P
67	YXVF280S-2	110~1140	50	5-50	50-100	75	2P
68	YXVF280M-2	110~1140	50	5-50	50-100	90	2P
69	YXVF280S-4	110~1140	50	5-50	50-100	75	4P
70	YXVF280M-4	110~1140	50	5-50	50-100	90	4P
71	YXVF280S-6	110~1140	50	5-50	50-100	45	6P
72	YXVF280M-6	110~1140	50	5-50	50-100	55	6P
73	YXVF280S-8	110~1140	50	5-50	50-100	37	8P

Begüm ADAKAN
Overseas Operation Manager

ALBERK QA ULUSLARARASI TEKNİK
KONTROL VE BELGELENDİRME A.Ş.
BARBAROS MAH. AK ZAMBAK SOK.
A BLOK KAT.19 No:2 ATAŞEHİR
İSTANBUL / TÜRKİYE

Tel : 0216 572 49 10-11-12

Fax : 0216 572 49 14

www.gatechnic.com

QA TECHNIC

ALBERK QA INTERNATIONAL TECHNICAL CONTROL AND CERTIFICATION CORP.

Varyap Meridian Grand Towers
Barbaros d.c. Ak Zambak Str.
No:2 A Block Floor:19 Ataşehir - İSTANBUL / TURKEY

TEL.: +90 216 572 49 10 - 11 - 12 (pbx)
FAKS: +90 216 572 49 14



for business improvement®

www.gatechnic.com

info@gatechnic.com

QA-AC-4435/20

Model List

NO.	Type	Voltage rang (V)	Rate frequency (Hz)	Rate out power (kW)	Pole	Duty	insulation
74	YXVF280M-8	110~1140	50	5-50	50-100	45	8P
75	YXVF315S-2	110~1140	50	5-50	50-100	110	2P
76	YXVF315M-2	110~1140	50	5-50	50-100	132	2P
77	YXVF315L1-2	110~1140	50	5-50	50-100	160	2P
78	YXVF315L-2	110~1140	50	5-50	50-100	185	2P
79	YXVF315L2-2	110~1140	50	5-50	50-100	200	2P
80	YXVF315L3-2	110~1140	50	5-50	50-100	220	2P
81	YXVF315S-4	110~1140	50	5-50	50-100	110	4P
82	YXVF315M-4	110~1140	50	5-50	50-100	132	4P
83	YXVF315L1-4	110~1140	50	5-50	50-100	160	4P
84	YXVF315L-4	110~1140	50	5-50	50-100	185	4P
85	YXVF315L2-4	110~1140	50	5-50	50-100	200	4P
86	YXVF315L3-4	110~1140	50	5-50	50-100	220	4P
87	YXVF315S-6	110~1140	50	5-50	50-100	75	6P
88	YXVF315M-6	110~1140	50	5-50	50-100	90	6P
89	YXVF315L1-6	110~1140	50	5-50	50-100	110	6P
90	YXVF315L2-6	110~1140	50	5-50	50-100	132	6P
91	YXVF315L3-6	110~1140	50	5-50	50-100	160	6P
92	YXVF315S-8	110~1140	50	5-50	50-100	55	8P
93	YXVF315M-8	110~1140	50	5-50	50-100	75	8P
94	YXVF315L1-8	110~1140	50	5-50	50-100	90	8P
95	YXVF315L2-8	110~1140	50	5-50	50-100	110	8P
96	YXVF315S-10	110~1140	50	5-50	50-100	45	10P
97	YXVF315M-10	110~1140	50	5-50	50-100	55	10P

Begüm ADAKAN
Overseas Operation Manager

ALBERK QA ULUSLARARASI TEKNİK
KONTROL VE BELGELENDİRME A.Ş.
BARBAROS MAH. AK ZAMBAK SOK.
A BLOK KAT.19 No:2 ATAŞEHİR
İSTANBUL / TÜRKİYE

Tel : 0216 572 49 10-11-12

Fax : 0216 572 49 14

www.gatechnic.com

QA TECHNIC

ALBERK QA INTERNATIONAL TECHNICAL CONTROL AND CERTIFICATION CORP.

Varyap Meridian Grand Towers
Barbaros d.c. Ak Zambak Str.
No:2 A Block Floor:19 Ataşehir - İSTANBUL / TURKEY

TEL.: +90 216 572 49 10 - 11 - 12 (pbx)
FAKS: +90 216 572 49 14



for business improvement®

www.gatechnic.com

info@gatechnic.com

QA-AC-4435/20

Model List

NO.	Type	Voltage rang (V)	Rate frequency (Hz)	Rate out power (kW)	Pole	Duty	insulation
98	YXVF315L1-10	110~1140	50	5-50	50-100	75	10P
99	YXVF315L2-10	110~1140	50	5-50	50-100	90	10P
100	YXVF355M1-2	110~1140	50	5-50	50-100	220	2P
101	YXVF355M-2	110~1140	50	5-50	50-100	250	2P
102	YXVF355L1-2	110~1140	50	5-50	50-100	280	2P
103	YXVF355L-2	110~1140	50	5-50	50-100	315	2P
104	YXVF355L2-2	110~1140	50	5-50	50-100	355	2P
105	YXVF355L3-2	110~1140	50	5-50	50-100	375	2P
106	YXVF355M1-4	110~1140	50	5-50	50-100	220	4P
107	YXVF355M-4	110~1140	50	5-50	50-100	250	4P
108	YXVF355L1-4	110~1140	50	5-50	50-100	280	4P
109	YXVF355L-4	110~1140	50	5-50	50-100	315	4P
110	YXVF355L2-4	110~1140	50	5-50	50-100	355	4P
111	YXVF355L3-4	110~1140	50	5-50	50-100	375	4P
112	YXVF355M1-6	110~1140	50	5-50	50-100	160	6P
113	YXVF355M-6	110~1140	50	5-50	50-100	185	6P
114	YXVF355M2-6	110~1140	50	5-50	50-100	200	6P
115	YXVF355L1-6	110~1140	50	5-50	50-100	220	6P
116	YXVF355L-6	110~1140	50	5-50	50-100	250	6P
117	YXVF355L2-6	110~1140	50	5-50	50-100	280	6P
118	YXVF355L3-6	110~1140	50	5-50	50-100	315	6P
119	YXVF355M1-8	110~1140	50	5-50	50-100	132	8P
120	YXVF355M2-8	110~1140	50	5-50	50-100	160	8P
121	YXVF355L1-8	110~1140	50	5-50	50-100	185	8P

ALBERK QA ULUSLARARASI TEKNİK
KONTROL VE BELGELENDİRME A.Ş.
BARBAROS MAH. AK ZAMBAK SOK.
A BLOK KAT.19 No:2 ATAŞEHİR
İSTANBUL / TÜRKİYE
Tel : 0216 572 49 10-11-12
Fax : 0216 572 49 14
www.gatechnic.com

Begüm ADAKAN
Overseas Operation Manager

B. Adakan

QA TECHNIC

ALBERK QA INTERNATIONAL TECHNICAL CONTROL AND CERTIFICATION CORP.

Varyap Meridian Grand Towers
Barbaros d.c. Ak Zambak Str.
No:2 A Block Floor:19 Ataşehir - İSTANBUL / TURKEY

TEL.: +90 216 572 49 10 - 11 - 12 (pbx)
FAKS: +90 216 572 49 14



for business improvement®

www.gatechnic.com

info@gatechnic.com

QA-AC-4435/20
Model List

NO.	Type	Voltage rang (V)	Rate frequency (Hz)	Rate out power (kW)	Pole	Duty	insulation
122	YXVF355L-8	110~1140	50	5-50	50-100	200	8P
123	YXVF355L2-8	110~1140	50	5-50	50-100	220	8P
124	YXVF355L3-8	110~1140	50	5-50	50-100	250	8P
125	YXVF355M1-10	110~1140	50	5-50	50-100	110	10P
126	YXVF355M2-10	110~1140	50	5-50	50-100	132	10P
127	YXVF355L1-10	110~1140	50	5-50	50-100	160	10P
128	YXVF355L-10	110~1140	50	5-50	50-100	185	10P
129	YXVF355L2-10	110~1140	50	5-50	50-100	200	10P
130	YXVF355L3-10	110~1140	50	5-50	50-100	220	10P

ALBERK QA ULUSLARARASI TEKNİK
KONTROL VE BELGELENDİRME A.Ş.
BARBAROS MAH. AK ZAMBAK SOK.
A BLOK KAT.19 No:2 ATAŞEHİR
İSTANBUL / TÜRKİYE
Tel : 0216 572 49 10-11-12
Fax : 0216 572 49 14
www.gatechnic.com

Begüm ADAKAN
Overseas Operation Manager

QA TECHNİC

ALBERK QA INTERNATIONAL TECHNICAL CONTROL AND CERTIFICATION CORP.

Varyap Meridian Grand Towers
Barbaros d.c. Ak Zambak Str.
No:2 A Block Floor:19 Ataşehir - İSTANBUL / TURKEY

TEL.: +90 216 572 49 10 - 11 - 12 (pbx)
FAKS: +90 216 572 49 14